

PE ME26

# MELATONIN 20mg

*Promotes healthy angiogenesis balance, immune function and antioxidant activity*  
60 Vegetable Capsules

Melatonin is primarily associated with supporting the body's natural sleep cycle, however recent scientific advances suggest that it may play a role in cellular health. More than a dozen preliminary clinical trials have examined the role of melatonin in supporting healthy cells promoting immune cell activity, and scavenging free radicals.

Randomized studies have revealed the potential for melatonin to positively support colon, breast, prostate and lung tissues.

**Melatonin 20mg provides high capacity cellular support for tissues including the colon, breast, prostate and lungs.**

Reference: Lissoni P, et al. chemoneuroendocrine therapy of metastatic breast cancer with persistent thrombocytopenia with weekly low-dose epirubicin plus melatonin: a phase II study. J Pineal Res. 1999 Apr;26(3):169-73.

## Supplement Facts

Each vegetable capsule contains:

Melatonin..... 20mg

This supplement is a 99.5% pure synthetic melatonin.  
(hypo-allergenic plant fiber added to complete capsule volume requirement.)

**Not to be taken by pregnant or lactating women. May have sedating effects and is for bedtime use only. This product may be contraindicated in depression, seasonal affective disorder, schizophrenia, autoimmune disease, asthma and for individuals taking MAO inhibitors or corticosteroids.**

**Directions: 1 capsules 1/2 to 1 hour bedtime.**

PE ME26

# メラトニン 20mg

健全な血管形成、免疫機能及び酸化防止活動を促進します。  
植物性カプセル 60 粒入り

メラトニンは体の自然な睡眠のサイクルに関係しています。しかし、近代科学の研究の結果メラトニンは細胞の健康にも一役買っているのではないかとされています。数十の臨床試験で、メラトニンの健康な細胞の免疫細胞の活動やフリーラジカルの中和に果たす役割を検証しました。

偏在的な研究の結果メラトニンは結腸、乳房、前立腺及び肺の組織を積極的に維持することが明らかになりました。

メラトニン 20mg は、結腸、乳房、前立腺及び肺の組織を維持する高い細胞レベルの能力を持っています。

参考文献: リッソーニ P. 他. 少量のエピルピシン (抗がん剤) とメラトニンを毎週与える、常時血小板減少を伴う神経内分泌腺化学療法. 第二段階の研究; J. Pineal Res. 1999 年 4 月; 26 (3): 169-73

## 成分表示

1 粒中につき

メラトニン ..... 20mg

このメラトニンは 99.5% 合成のもので、  
(低アレルギーの植物繊維をカプセル用に含んでいます。)

妊娠中或いは授乳中の女性は飲まないでください。鎮静的な効果があるかもしれませんので、寝る前にお飲みください。うつ、定期的な情緒障害、精神分裂症、自己免疫不全、喘息及び MAO 抑制剤或いはコルティコステロイドを服用している方は飲まないでください。

**使用方法: 就寝 30 分前に 1 粒を目安にお飲みください。**